Volume 69(1)

Editorial

- 3 Expand your treatment options with new materials... and old possibilities David L. Turpin, DDS, MSD
- 5 What's new in dentistry Vincent Kokich, DDS, MSD

Original Articles

- 7 Craniofacial morphology and tooth wear: A longitudinal study of orthodontic patients John R. Almond, DDS, MSD; Brian G. Leroux, PhD; Douglas J. Knight, DDS, MSD; Douglas S. Ramsay, DMD, PhD, MSD
- 14 Craniofacial morphology of bruxers vs. nonbruxers David V. Young, DDS, MDS; Donald J. Rinchuse, DMD, MS, MDS, PhD; Calvin J. Pierce, DMD, PhD; Thomas Zullo, PhD
- 19 Treatment results in dental school orthodontic patients in 1983 and 1993 Allen R. Firestone, DDS, MS; Rudolf U. Häsler, DMD; Bengt Ingervall, DDS, Odont.Dr.
- 27 The compensatory mechanism in high-angle malocclusions: A comparison of subjects in the mixed and permanent dentition Dörthe Betzenberger, DDS, Dr. med. dent.; Sabine Ruf, DDS, Dr. med. dent.; Hans Pancherz, DDS, Odont.Dr.
- 33 Occlusal changes from adolescence to adulthood in untreated patients with Class II Division 1 deepbite malocclusion Ingalill Feldmann, DDS; Fredrik Lundström, DDS, Dr.Odont.; Sheldon Peck, DDS
- 39 Corrosion of stainless steel, nickel-titanium, coated nickel-titanium, and titanium orthodontic wires Hera Kim, DDS, MMSc; Jeffery W. Johnson, DDS, MS
- 45 Bracket bonding with 15- or 60-second etching and adhesive remaining on enamel after debonding Raquel Osorio, DDS; Manuel Toledano, MD, BDS; Franklin Garcia-Godoy, DDS, MS
- 49 3-D experimental identification of force systems from orthodontic loops activated for first order corrections Chiara Menghi, DDS, MS; Jens Planert, Dr.Dr.; Birte Melsen, DDS, PhD, Dr.Odont.
- 58 Laboratory evaluation of a compomer and a resinmodified glass ionomer cement for orthodontic bonding D.T. Millett, BDSc, DDS, FDS, MOrth; D. Cattanach, BDS; R. McFadzean, BDS; J. Pattison, BDS; J. McColl, MA, MSc, FSS Commentary by Haruo Ishikawa, DDS, MSD, PhD
- 65 Decalcification in relation to brackets bonded with glass ionomer cement or a resin adhesive D.T. Millett, BDSc, DDS, FDS, MOrth; J.H. Nunn, BDS, PhD, FDS, DDPH; R.R. Welbury, BDS, MB, PhD FDS; P.H. Gordon, BDS, PhD, FDS, MOrth
- 71 Assessment of second-order clearances between orthodontic archwires and bracket slots via the critical contact angle for binding Robert P. Kusy, BS, MS, PhD; John Q. Whitley, BS
- 81 A reexamination of various extraoral appliances in light of recent research findings Stanley Braun, DDS, MME; Kong-Geun Lee, DDS, MSD, PhD; Harry L. Legan, DDS

Case Reports

- 85 Orthodontic considerations in individuals with Down syndrome: A case report Sindoor S. Desai, BDS; Thomas J. Flanagan, DMD
- 89 Assessment, documentation, and treatment of a developing facial asymmetry following early childhood injury Robert C. Sjursen Jr., DDS; Harry L. Legan, DDS; John R. Werther, DMD, MD

Volume 69(2)

Editorial

99 Commentaries bring out the best in reviewers David L Turpin, DDS, MSD

What's new in dentistry

101 Vincent Kokich, DDS, MSD

Original Articles

103 Condylar axis position, as determined by the occlusion and measured by the CPI instrument, and signs and symptoms of temporomandibular dysfunction Stanley D. Crawford, DDS

Commentary Straty Righellis, DDS

- 117 The use of a deprogramming appliance to obtain centric relation records Paul J. Karl, DDS, MCID; Timothy F. Foley, DDS, MCID Commentary Richard P. McLaughlin, DDS
- 126 Should a history of nasal symptoms be considered when estimating nasal patency?

 Maija T. Laine-Alava, DDS, PhD; Ulla K. Minkkinen, DDS
- 133 Pressure from the lips on the teeth during speech Urs Thüer, DDS, Dr.med.dent.; Jürg Grunder, DDS, Dr.med.dent.; Bengt Ingervall, DDS, Odont.Dr.
- 141 An evaluation of anterior temporal and masseter muscle activity in appliance therapy
 Peter M. Greco, DMD; Robert L. Vanarsdall Jr., DDS;
 Michael Levrini, PT, MS, ECS; Richard Read, PT, ECS
- 147 Tongue shape in obstructive sleep apnea patients Eung-Kwon Pae, DDS, MSc, PhD; Alan A. Lowe, DMD, PhD, FRCD(C)
- 151 Biological reaction of alveolar bone to orthodontic tooth movement Birte Melsen, DDS, Dr.odont., PhD
- 159 Continuous vs. discontinuous force application and root resorption Ahu Acar, DDS, PhD; Ülkü Canyürek, DDS; Mustafa Kocaaga, DDS; Nejat Erverdi, DDS, PhD Commentary

Gregory J. King, DMD, DMSc

165 Comparison of soft tissue profile changes in serial extraction and late premolar extraction Jacqueline R. Wilson, DDS, MSD; Robert M. Little, DDS, MSD, PhD; Donald R. Joondeph, DDS, MS; Diane M. Doppel, DDS, MSD

Commentary Robert J. Isaacson, DDS, MSD, PhD

175 Postretention assessment of deep overbite correction in Class II Division 2 malocclusion Tae-Woo Kim, DDS, MSD, PhD; Robert M. Little, DDS, MSD, PhD

Brief Communication

- 187 Prevalence of maxillary canine–first premolar transposition in a composite African sample S.E. Burnett, MA
- 190 Information for authors

Volume 69(1)

Editorial

- 3 Expand your treatment options with new materials... and old possibilities David L. Turpin, DDS, MSD
- 5 What's new in dentistry Vincent Kokich, DDS, MSD

Original Articles

- 7 Craniofacial morphology and tooth wear: A longitudinal study of orthodontic patients John R. Almond, DDS, MSD; Brian G. Leroux, PhD; Douglas J. Knight, DDS, MSD; Douglas S. Ramsay, DMD, PhD, MSD
- 14 Craniofacial morphology of bruxers vs. nonbruxers David V. Young, DDS, MDS; Donald J. Rinchuse, DMD, MS, MDS, PhD; Calvin J. Pierce, DMD, PhD; Thomas Zullo, PhD
- 19 Treatment results in dental school orthodontic patients in 1983 and 1993 Allen R. Firestone, DDS, MS; Rudolf U. Häsler, DMD; Bengt Ingervall, DDS, Odont.Dr.
- 27 The compensatory mechanism in high-angle malocclusions: A comparison of subjects in the mixed and permanent dentition Dörthe Betzenberger, DDS, Dr. med. dent.; Sabine Ruf, DDS, Dr. med. dent.; Hans Pancherz, DDS, Odont.Dr.
- 33 Occlusal changes from adolescence to adulthood in untreated patients with Class II Division 1 deepbite malocclusion Ingalill Feldmann, DDS; Fredrik Lundström, DDS, Dr.Odont.; Sheldon Peck, DDS
- 39 Corrosion of stainless steel, nickel-titanium, coated nickel-titanium, and titanium orthodontic wires Hera Kim, DDS, MMSc; Jeffery W. Johnson, DDS, MS
- 45 Bracket bonding with 15- or 60-second etching and adhesive remaining on enamel after debonding Raquel Osorio, DDS; Manuel Toledano, MD, BDS; Franklin Garcia-Godoy, DDS, MS
- 49 3-D experimental identification of force systems from orthodontic loops activated for first order corrections Chiara Menghi, DDS, MS; Jens Planert, Dr.Dr.; Birte Melsen, DDS, PhD, Dr.Odont.
- 58 Laboratory evaluation of a compomer and a resinmodified glass ionomer cement for orthodontic bonding D.T. Millett, BDSc, DDS, FDS, MOrth; D. Cattanach, BDS; R. McFadzean, BDS; J. Pattison, BDS; J. McColl, MA, MSc, FSS Commentary by Haruo Ishikawa, DDS, MSD, PhD
- 65 Decalcification in relation to brackets bonded with glass ionomer cement or a resin adhesive D.T. Millett, BDSc, DDS, FDS, MOrth; J.H. Nunn, BDS, PhD, FDS, DDPH; R.R. Welbury, BDS, MB, PhD FDS; P.H. Gordon, BDS, PhD, FDS, MOrth
- 71 Assessment of second-order clearances between orthodontic archwires and bracket slots via the critical contact angle for binding Robert P. Kusy, BS, MS, PhD; John Q. Whitley, BS
- 81 A reexamination of various extraoral appliances in light of recent research findings Stanley Braun, DDS, MME; Kong-Geun Lee, DDS, MSD, PhD; Harry L. Legan, DDS

Case Reports

- 85 Orthodontic considerations in individuals with Down syndrome: A case report Sindoor S. Desai, BDS; Thomas J. Flanagan, DMD
- 89 Assessment, documentation, and treatment of a developing facial asymmetry following early childhood injury Robert C. Sjursen Jr., DDS; Harry L. Legan, DDS; John R. Werther, DMD, MD

Volume 69(2)

Editorial

99 Commentaries bring out the best in reviewers David L Turpin, DDS, MSD

What's new in dentistry

101 Vincent Kokich, DDS, MSD

Original Articles

103 Condylar axis position, as determined by the occlusion and measured by the CPI instrument, and signs and symptoms of temporomandibular dysfunction Stanley D. Crawford, DDS

Commentary Straty Righellis, DDS

- 117 The use of a deprogramming appliance to obtain centric relation records Paul J. Karl, DDS, MCID; Timothy F. Foley, DDS, MCID Commentary Richard P. McLaughlin, DDS
- 126 Should a history of nasal symptoms be considered when estimating nasal patency?

 Maija T. Laine-Alava, DDS, PhD; Ulla K. Minkkinen, DDS
- 133 Pressure from the lips on the teeth during speech Urs Thüer, DDS, Dr.med.dent.; Jürg Grunder, DDS, Dr.med.dent.; Bengt Ingervall, DDS, Odont.Dr.
- 141 An evaluation of anterior temporal and masseter muscle activity in appliance therapy
 Peter M. Greco, DMD; Robert L. Vanarsdall Jr., DDS;
 Michael Levrini, PT, MS, ECS; Richard Read, PT, ECS
- 147 Tongue shape in obstructive sleep apnea patients Eung-Kwon Pae, DDS, MSc, PhD; Alan A. Lowe, DMD, PhD, FRCD(C)
- 151 Biological reaction of alveolar bone to orthodontic tooth movement Birte Melsen, DDS, Dr.odont., PhD
- 159 Continuous vs. discontinuous force application and root resorption Ahu Acar, DDS, PhD; Ülkü Canyürek, DDS; Mustafa Kocaaga, DDS; Nejat Erverdi, DDS, PhD Commentary

Gregory J. King, DMD, DMSc

165 Comparison of soft tissue profile changes in serial extraction and late premolar extraction Jacqueline R. Wilson, DDS, MSD; Robert M. Little, DDS, MSD, PhD; Donald R. Joondeph, DDS, MS; Diane M. Doppel, DDS, MSD

Commentary Robert J. Isaacson, DDS, MSD, PhD

175 Postretention assessment of deep overbite correction in Class II Division 2 malocclusion Tae-Woo Kim, DDS, MSD, PhD; Robert M. Little, DDS, MSD, PhD

Brief Communication

- 187 Prevalence of maxillary canine–first premolar transposition in a composite African sample S.E. Burnett, MA
- 190 Information for authors

Volume 69(3)

Editorial

- 195 TMJ disorders complicate treatment planning David L. Turpin, DDS, MSD
 - What's new in dentistry
- 199 Vincent Kokich, DDS, MSD

Case Reports

- 201 Long-term stability of mandibular orthopedic repositioning Donald R. Joondeph, DDS, MS
- 210 Case Report: Treatment for a patient with a history of TMJ disorder
 John Grubb, DDS, MSD

Guest Editorial

214 Putting nickel titanium wire in its place Robert M. Rubin, DMD, MS

Original Articles

- 215 Finite-element morphometry of soft tissue morphology in subjects with untreated Class III malocclusions G. D. Singh, BDS, PhD; J. A. McNamara Jr, DDS, PhD; S. Lozanoff, PhD
- 225 Evaluation of differential growth and orthodontic treatment outcome by regional cephalometric superpositions Stella S. Efstratiadis, DDS; Gwen Cohen, DDS; Joseph Ghafari, DMD
- 231 Comparison of preferences in lip position using computer animated imaging Lawrence A. Hier, DDS, MS; Carla A. Evans, DDS, DMSc; Ellen A. BeGole, PhD; Donald B. Giddon, DMD, PhD
- 239 Dentoskeletal effects and facial profile changes in young adults treated with the Herbst appliance Sabine Ruf, DDS, Dr. med. dent; Hans Pancherz, DDS, Odont. Dr.
- 247 The dawn of rapid maxillary expansion Donald J. Timms, LDS, DOrth, RCS(Eng)
- 251 Effects of a bonded rapid maxillary expansion appliance during orthodontic treatment T. Ufuk Toygar Memikoglu, DDS, PhD; Haluk Iseri, DDS, PhD
- 257 Relapse after orthodontic correction of maxillary median diastema: A follow-up evaluation of consecutive cases Dafna Shashua, DMD, MSC, MSD; Jon Årtun, DDS, Dr. Odont.
- 264 Longitudinal occlusal changes from primary to permanent dentition in children with normal primary occlusion
 M. Legovic, DDs, Msc, PhD; L. Mady, DDs, Msc, PhD
- 267 Combinations of etchants, composite resins, and bracket systems: An important choice in orthodontic bonding procedures
 H. Urabe, DDS, Dip. Orthodont; P.E. Rossouw, BSc, BChD, BChD(hons), MChD, PhD; K.C. Titley, BDS, LDS, Dip Paedo, FRCD(C), MScD, FICD; C. Yamin, DDS, Dip Orthodont, MSc
- 276 Optimization of a procedure for rebonding dislodged orthodontic brackets
 B. Mui, BSc, DDS; P.E. Rossouw, BSc, BChD, BChD(hons), MChD, PhD; G.V. Kulkarni, BDS, LLB, MSc, Dip Paedo, PhD
- 282 Effect of resin cure mode and fluoride content on bracket debonding
 Stephanie E. Steckel, DDS, MS; Frederick A. Rueggeberg, DDS, MS; Gary M. Whitford, PhD, DMD
 Commentary

Phillip M. Campbell, DDS, MSD

288 Information for authors

Volume 69(4)

Editorial

291 A child's need, a parent's wish, an orthodontist's responsibility
David L. Turpin, DDS, MSD

What's new in dentistry

293 Vincent Kokich, DDS, MSD

Original Articles

- 295 Ethics for orthodontists Wendy E. Mouradian, MD; M. Lena Omnell, DDS, MSD; Bryan Williams, DDS, MSD
- 300 Making decisions for children Wendy E. Mouradian, MD
- 306 Tooth position and speech—is there a relationship? Nicola C. L. Johnson, BDS, FDS RCS; Jonathan R. Sandy, PhD, FDS, MOrth RCS
- 311 A cephalometric study of Class II Division 1 malocclusions treated with the Jasper Jumper appliance David A. Covell Jr., PhD, DDS, MSD; Dennis W. Trammell, DMD, MSD; Roger P. Boero, DDS; Richard West, DMD, MSD

Case Report

321 Class II Division 2 malocclusion: Genetics or environment? A case report of monozygotic twins Sabine Ruf, DDS, Dr med dent; Hans Pancherz, DDS, Odont Dr

Original Articles

- 325 Evaluation of orthodontists' perception of treatment need and the peer assessment rating (PAR) index Susan P. McGorray, PhD; Timothy T. Wheeler, DMD, PhD; Stephen D. Keeling, DDS, MS; Lisa Yurkiewicz, DMD, MS; Marie G. Taylor, RDH; Gregory J. King, DMD, DMSc
- 334 Morphology and growth in convex profile facial patterns: A longitudinal study Alf Tor Karlsen, DDS; Olaf Krogstad, DDS, PhD
- 345 A technique for three-dimensional cephalometric analysis as an aid in evaluating changes in the craniofacial skeleton Christy L. Haffner, DMD; Joel E. Pessa, MD; Vikram P. Zadoo, MD; Jaime R. Garza, MD, DDS
- 349 Very early face mask therapy in Class III children Toshio Deguchi, DDS, MSD, PhD; Ryuzo Kanomi, DDS, DDSc; Yuji Ashizawa, DDS, DDSc; Sheldon W. Rosenstein, DDS, MSD
- 356 Influences of vertical occlusal discrepancies on condylar responses and craniofacial growth in growing rats Hiroki Sugiyama, DDS; Kayou Lee, DDS; Shinji Imoto, DDS; Akiko Sasaki, DDS; Toshitsugu Kawata, DDS, PhD; Kazunori Yamaguchi, DDS, PhD; Kazuo Tanne, DDS, PhD
- 365 Influence of dietary n-3 polyunsaturated fatty acid on experimental tooth movement in rats Y. Iwami-Morimoto, DDS, PhD; K. Yamaguchi, DDS, PhD; K. Tanne, DDS, PhD
- 372 Displacement and stress distribution in the temporomandibular joint during clenching Kunishige Nagahara, DDS, PhD; Satoru Murata, DDS, PhD; Shoji Nakamura, DDS, PhD; Tomoyuki Tsuchiya, DDS, PhD

Brief Communication

- 380 Molarization of the lower second premolars Jose A. Canut, MD, DDS, PhD; Santiago Arias, MD, DDS, PhD
- 382 Information for authors

Volume 69(5)

Editorial

- 387 Making a difference David L. Turpin, DDS, MSD
- 389 Letters

Guest Editorial

- 397 Measurements must be interval, not ordinal Eung-Kwon Pae, DDS, MSc, PhD
- 399 What's new in dentistry Vincent Kokich, DDS, MSD

Original Articles

- 401 Stability of implants as anchorage for orthopedic traction
 G.A.M. De Pauw, DDS; L. Dermaut, DDS, PhD; H. De Bruyn, DDS, PhD; C. Johansson, PhD
- 408 Cephalometric characteristics of nonobese patients with severe OSA Eung-Kwon Pae, DDS, MSc, PhD; Kathleen A. Ferguson, MD, FRCPC, FCCP
- 413 A longitudinal study of nasal airway size from age 9 to age 13
 Ulla Crouse, DDS; M.T. Laine-Alava, DDS, PhD; D.W. Warren, DDS, PhD; C. L. Wood, PhD
- 419 Relationship of the functional oropharynx to craniofacial morphology
 Michael J. Trenouth, BSc, MDS, PhD, FDS, DOrth, DDO; Donald J. Timms, LDS, DOrth, RCS(Eng)
- 424 Incisal changes and orthodontic stability Gavin J. Lenz, BDSc (Qld), MDSc (Melb), FRACDS; Michael G. Woods, MDSc, FRACDS, FRACDS (Orth), DOrthRCS
- 433 An investigation into the effects of polishing on surface hardness and corrosion of orthodontic archwires N.P. Hunt, PhD, MOrth, FDSRCS, MSc; S.J. Cunningham, BChD, FDSRCS, MSc, MOrth; C.G. Golden, BDS, FDSRCPS, MSc, MOrth; M. Sheriff, PhD
- 441 Stress-relaxing composite ligature wires: Formulations and characteristics Ross P. McKamey, BS; Robert P. Kusy, PhD
- 450 Effect of contamination and etching on enamel bond strength of new light-cured glass ionomer cements Takami Itoh, DDS, PhD; Noriatsu Matsuo, DDS; Tadao Fukushima, PhD; Yusuke Inoue, PhD; Yasuhisa Oniki, DDS, PhD; Mitsunari Matsumoto, DDS, PhD; Angelo A. Caputo, PhD
- 457 Comparison of shear bond strength of three bonding agents with metal and ceramic brackets Bülent Haydar, DDS, MS; Simten Sarikaya, DDS, MS; Zafer C. Çehreli, DDS, PhD
- 463 Comparison of bracket debonding force between two conventional resin adhesives and a resin-reinforced glass ionomer cement: An in vitro and in vivo study Imad Shammaa, DMD, MS; Peter Ngan, DMD; Hera Kim, DDS, MMSc; Elizabeth Kao, DMD; Marcia Gladwin, EdD; Erdogan Gunel, PhD; Christopher Brown, MS
- 470 Orthodontic treatment of openbite and deepbite highangle malocclusions Klaus Hering, DDS, Dr. med. dent.; Sabine Ruf, DDS, Dr. med. dent.; Hans Pancherz, DDS, Odont. Dr.
- 478 Information for authors

Volume 69(5)

Editorial

- 483 Passing the torch to Robert J. Isaacson David L. Turpin, DDS, MSD
- 485 Letters

Guest Editorial

- 488 The policy of the Angle Orthodontist Reprinted from Volume 1, No. 3, June 1931 Editorial Board: Mrs Edward H. Angle Dr. Frederick B. Noyes, Dr. R.H.W. Strang
- 489 What's new in dentistry Vincent Kokich, DDS, MSD

Original Articles

- 491 Craniofacial imaging in orthodontics: Historical perspective, current status, and future developments Juan Carlos Quintero, DMD, MS; Andrew Trosien, DDS, MS; David Hatcher, DDS, MSc, MRCD(c); Sunil Kapila, DDS, MS, PhD
- 507 Allometry of the cranial base in prepubertal Korean subjects with Class III malocclusions: Finite element morphometry G.D. Singh, BDS, PhD; J.A. McNamara Jr., DDS, PhD; S. Lozanoff, PhD
- 515 Effect of appliance reactivation after decay of initial activation on osteoclasts, tooth movement, and root resorption Gaoman Gu, DDS, PhD; Steven A. Lemery, DDS; Gregory J. King, DMD, DMSc
- 523 The distribution of clefts of the primary and secondary palates by sex, type, and location Yehoshua Shapira, DMD; Erwin Lubit, DDS; Mladen M. Kuftinec, DMD, DStom, ScD; Gerald Borell, DDS
- 529 Standards for permanent tooth emergence in Finnish children Ritva Eskeli, DDS; Maija T. Laine-Alava, DDS, PhD; Hannu Hausen, DDS, PhD, MPH; Riitta Pahkala, DDS, PhD
- 534 Dentoalveolar compensation related to variations in sagittal jaw relationships Hiroyuki Ishikawa, DDS, PhD; Shinji Nakamura, DDS, PhD; Hiroshi Iwasaki, DDS, PhD; Shinichi Kitazawa, DDS; Haruka Tsukada, DDS; Yoshiaki Sato, DDS, PhD
- 539 C-axis: A growth vector for the maxilla Stanley Braun, DDS, MME; Robert T. Rudman, DDS, MS; Hugh J. Murdoch, DDS, MS; Shaun Hicken, DDS, MS; Russell Kittleson, DDS, MS; Donald J. Ferguson, DMD, MSD
- 543 Maxillary protraction and chincap appliance treatment effects and long-term changes in skeletal Class III patients Ikue Yoshida, DDS, DDSc; Hideshi Ishii, DDS, DDSc; Nobuhito Yamaguchi, DDS; Itaru Mizoguchi, DDS, DDSc

Special Report

- 553 Orthodontics and the millennial mechanical ideal Frank Heynick
- 558 Index to Volume 69
- 576 Information for Authors

Author Index

- Acar A, Canyürek U, Kocaaga M, Erverdi N. Continuous vs. discontinuous force application and root resorption. 1999; 69(2):159-164
- Almond JR, Leroux BG, Knight DJ, Ramsay DS. Craniofacial morphology and tooth wear: A longitudinal study of orthodontic patients. 1999;69(1):7-13.
- Arias S-see Canut JA
- Årtun J-see Shashua D
- Ashizawa Y—see Deguchi T
- BeGole EA-see Hier LA
- Betzenberger D, Ruf S, Pancherz H. The compensatory mechanism in high-angle malocclusions: A comparison of subjects in the mixed and permanent dentition. 1999;69(1):27-32.
- Boero RP-see Covell DA
- Borell G-see Shapira Y
- Braun S, Lee K-G, Legan HL. A reexamination of various extraoral appliances in light of recent research findings. 1999;69(1):81-84.
- Braun S, Rudman RT, Murdoch HJ, Hicken S, Kittleson R, Ferguson DJ. C-axis: A growth vector for the maxilla. 1999;69(6):539-542.
- Brown C-see Shammaa I
- Burnett SE. Brief communication: Prevalence of maxillary caninefirst premolar transposition in a composite African sample. 1999; 69(2):187-188.
- Campbell PM. Commentary on: Effect of resin cure mode and fluoride content on bracket debonding. 1999;69(3):287.
- Canut JA, Arias S. Molarization of the lower second premolars. 1999;69(4):380-381.
- Canyürek U-see Acar A
- Caputo AA-see Itoh T
- Cattanach D-see Millett DT
- Çehreli ZC-see Haydar B
- Cohen G-see Efstratiadis SS
- Covell DA, Trammell DW, Boero RP, West R. A cephalometric study of Class II Division 1 malocclusions treated with the Jasper Jumper appliance. 1999;69(4):311-320.

- Crawford SD. Condylar axis position, as determined by the occlusion and measured by the CPI instrument, and signs and symptoms of temporomandibular dysfunction. 1999; 69(2):103-116.
- Crouse U, Laine-Alava MT, Warren DW, Wood CL. A longitudinal study of nasal airway size from age 9 to age 13. 1999;69(5):413-418.
- Cunningham SJ-see Hunt NP
- De Bruyn H-see De Pauw GAM
- De Pauw GAM, Dermaut L, De Bruyn H, Johansson C. Stability of implants as anchorage for orthopedic traction. 1999;69(5):401-407.
- Deguchi T, Kanomi R, Ashizawa Y, Rosenstein SW. Very early face mask therapy in Class III children. 1999;69(4):349-355.
- Dermaut L-see De Pauw GAM
- Desai SS, Flanagan TJ. Case Report: Orthodontic considerations in individuals with Down syndrome: A case report. 1999;69(1):85-88.
- Doppel DM-see Wilson JR
- Efstratiadis SS, Cohen G, Ghafari J. Evaluation of differential growth and orthodontic treatment outcome by regional cephalometric superpositions. 1999;69(3):225-230
- Erverdi N-see Acar A
- Eskeli R, Laine-Alava MT, Hausen H, Pahkala R. Standards for permanent tooth emergence in Finnish children. 1999;69(6):529-533.
- Evans CA-see Hier LA
- Feldmann I, Lundström F, Peck S. Occlusal changes from adolescence to adulthood in untreated patients with Class II Division 1 deepbite malocclusion. 1999;69(1):33-38.
- Ferguson DJ-see Braun S
- Ferguson KA-see Pae E-K
- Firestone AR, Häsler RU, Ingervall B. Treatment results in dental school orthodontic patients in 1983 and 1993. 1999;69(1):19-26.
- Flanagan TJ—see Desai SS
- Foley TF-see Karl PJ
- Fukushima T-see Itoh T
- Garcia-Godoy F-see Osorio R
- Garza JR-see Haffner CL
- Ghafari J-see Efstratiadis SS
- Giddon DB-see Hier LA

- Gladwin M-see Shammaa I
- Golden CG-see Hunt NP
- Gordon PH-see Millett DT
- Greco PM, Vanarsdall RL, Levrini M, Read R. An evaluation of anterior temporal and masseter muscle activity in appliance therapy. 1999; 69(2):141-146.
- Grubb J. Case Report: Treatment for a patient with a history of TMJ disorder. 1999;69(3):210-213.
- Grunder J-see Thüer U
- Gu G, Lemery SA, King GJ. Effect of appliance reactivation after decay of initial activation on osteoclasts, tooth movement, and root resorption. 1999;69(6):515-522.
- Gunel E-see Shammaa I
- Haffner CL, Pessa JE, Zadoo VP, Garza JR. A technique for threedimensional cephalometric analysis as an aid in evaluating changes in the craniofacial skeleton. 1999;69(4):345-348.
- Häsler RU-see Firestone AR
- Hatcher D-see Quintero IC
- Hausen H-see Eskeli R
- Haydar B, Sarikaya S, Çehreli ZC. Comparison of shear bond strength of three bonding agents with metal and ceramic brackets. 1999;69(5):457-462.
- Hering K, Ruf S, Pancherz H. Orthodontic treatment of openbite and deepbite high-angle malocclusions. 1999;69(5):470-477.
- Heynick F. Special Report: Orthodontics and the millennial mechanical ideal. 1999;69(6):553-557.
- Hicken S-see Braun S
- Hier LA, Evans CA, BeGole EA, Giddon DB. Comparison of preferences in lip position using computer animated imaging. 1999;69(3):231-238.
- Hunt NP, Cunningham SJ, Golden CG, Sheriff M. An investigation into the effects of polishing on surface hardness and corrosion of orthodontic archwires. 1999;69(5):433-440.
- Imoto S-see Sugiyama H
- Ingervall B—see Firestone AR
 —see Thüer U
- Inoue Y-see Itoh T

Isaacson RJ. Commentary on Comparison of soft tissue profile changes in serial extraction and late premolar extraction. 1999; 69(2):174.

Iseri H—see Memikoglu TUT Ishii H—see Yoshida I

Ishikawa H, Nakamura S, Iwasaki H, Kitazawa S, Tsukada H, Sato Y. Dentoalveolar compensation related to variations in sagittal jaw relationships. 1999;69(6):534-538.

Ishikawa H. Commentary on: Laboratory evaluation of a compomer and a resin-modified glass ionomer cement for orthodontic bonding, 1999;69(1):64.

Itoh T, Matsuo N, Fukushima T, Inoue Y, Oniki Y, Matsumoto M, Caputo AA. Effect of contamination and etching on enamel bond strength of new light-cured glass ionomer cements. 1999;69(5):450-456.

Iwami-Morimoto Y, Yamaguchi K, Tanne K. Influence of dietary n-3 polyunsaturated fatty acid on experimental tooth movement in rats. 1999;69(4):365-371.

Iwasaki H-see Ishikawa H

Johansson C-see De Pauw GAM

Johnson JW-see Kim H

Johnson NCL, Sandy JR. Tooth position and speech-is there a relationship? 1999;69(4):306-310

Joondeph DR. Case Report: Longterm stability of mandibular orthopedic repositioning. 1999;69(3):201-209. —see Wilson JR

Kanomi R-see Deguchi T

Kao E-see Shammaa I

Kapila S-see Quintero JC

Karl PJ, Foley TF. The use of a deprogramming appliance to obtain centric relation records. 1999; 69(2):117-125.

Karlsen AT, Krogstad O. Morphology and growth in convex profile facial patterns: A longitudinal study. 1999;69(4):334-344.

Kawata T—see Sugiyama H Keeling SD—see McGorray SP

Kim H, Johnson JW. Corrosion of stainless steel, nickel-titanium, coated nickel-titanium, and titanium orthodontic wires. 1999;69(1):39-44.

Kim H-see Shammaa I

Kim T-W, Little RM. Postretention assessment of deep overbite correction in Class II Division 2 malocclusion. 1999; 69(2):175-186.

King GJ. Commentary on Continuous vs. discontinuous force application and root resorption. 1999; 69(2):164.

—see Gu G

-see McGorray SP

Kitazawa S-see Ishikawa H

Kittleson R-see Braun S

Knight DJ-see Almond JR

Kocaaga M-see Acar A

Kokich V. What's new in dentistry. 1999;69(1):3.

What's new in dentistry. 1999; 69(2):101-102.

What's new in dentistry. 1999; 69(3):199-200.

What's new in dentistry. 1999; 69(4):293-294.

What's new in dentistry. 1999; 69(5):399-400.

What's new in dentistry. 1999; 69(6):489-490.

Krogstad O-see Karlsen AT

Kuftinec MM—see Shapira Y Kulkarni GV—see Mui B

Kusy RP, Whitley JQ. Assessment of second-order clearances between orthodontic archwires and bracket slots via the critical contact angle for binding. 1999;69(1):71-80.

Kusy RP-see McKamey RP

Laine-Alava MT, Minkkinen UK. Should a history of nasal symptoms be considered when estimating nasal patency? 1999; 69(2):126-132.

Laine-Alava MT—see Crouse U —see Eskeli R

Lee K-G-see Braun S

Lee K-see Sugiyama H

Legan HL -see Sjursen RC

Legan HL-see Braun S

Legovic M, Mady L. Longitudinal occlusal changes from primary to permanent dentition in children with normal primary occlusion. 1999;69(3):264-266.

Lemery SA-see Gu G

Lenz GJ, Woods MG. Incisal changes and orthodontic stability. 1999;69(5):424-432.

Leroux BG—see Almond JR Levrini M—see Greco PM Little RM—see Kim T-W
—see Wilson JR

Lowe AA—see Pae E-K

Lozanoff S—see Singh GD
—see Singh GD

Lubit E—see Shapira Y

Lundström F-see Feldmann I

Mady L-see Legovic M

Matsumoto M-see Itoh T

Matsuo N-see Itoh T

McColl J-see Millett DT

McFadzean R-see Millett DT

McGorray SP, Wheeler TT, Keeling SD, Yurkiewicz L, Taylor MG, King GJ. Evaluation of orthodontists' perception of treatment need and the peer assessment rating (PAR) index. 1999;69(4):325-333.

McKamey RP, Kusy RP. Stressrelaxing composite ligature wires: Formulations and characteristics. 1999;69(5):441-449.

McLaughlin RP. Commentary on The use of a deprogramming appliance to obtain centric relation records. 1999; 69(2):125.

McNamara JA Jr-see Singh GD

Melsen B. Biological reaction of alveolar bone to orthodontic tooth movement. 1999; 69(2):151-158. —see Menghi C

Memikoglu TUT, Iseri H. Effects of a bonded rapid maxillary expansion appliance during orthodontic treatment. 1999;69(3):251-256.

Menghi C, Planert J, Melsen B. 3-D experimental identification of force systems from orthodontic loops activated for first order corrections. 1999;69(1):49-57.

Millett DT, Cattanach D, McFadzean R, Pattison J, McColl J. Laboratory evaluation of a compomer and a resin-modified glass ionomer cement for orthodontic bonding. 1999;69(1):58-64.

Millett DT, Nunn JH, Welbury RR, Gordon PH. Decalcification in relation to brackets bonded with glass ionomer cement or a resin adhesive1999;69(1):65-70.

Minkkinen UK-see Laine-Alava MT

Mizoguchi I -see Yoshida I

Mouradian WE, Omnell ML, Williams B. Ethics for orthodontists. 1999;69(4):295-299.

Mouradian WE. Making decisions for children. 1999;69(4):300-305.

Mui B, Rossouw PE, Kulkarni GV. Optimization of a procedure for rebonding dislodged orthodontic brackets. 1999;69(3):276-281.

Murata S—see Nagahara K Murdoch HI—see Braun S

Nagahara K, Murata S, Nakamura S, Tsuchiya T. Displacement and stress distribution in the temporomandibular joint during clenching. 1999;69(4):372-379.

Nakamura S—see Ishikawa H —see Nagahara K

Ngan P—see Shammaa I

Nunn JH-see Millett DT

Omnell ML-see Mouradian WE

Oniki Y-see Itoh T

Osorio R, Toledano M, Garcia-Godoy F. Bracket bonding with 15- or 60-second etching and adhesive remaining on enamel after debonding. 1999;69(1):45-48.

Pae E-K, Ferguson KA. Cephalometric characteristics of nonobese patients with severe OSA. 1999;69(5):408-412.

Pae E-K, Lowe AA. Tongue shape in obstructive sleep apnea patients. 1999; 69(2):147-150.

Pae E-K. Guest Editorial: Measurements must be interval, not ordinal. 1999;69(5):397.

Pahkala R-see Eskeli R

Pancherz H—see Betzenberger D
—see Hering K
—see Ruf S

Pattison J-see Millett DT

Peck S-see Feldmann I

Pessa JE —see Haffner CL

Pierce CJ-see Young DV

Planert J—see Menghi C

Quintero JC, Trosien A, Hatcher D, Kapila S. Craniofacial imaging in orthodontics: Historical perspective, current status, and future developments. 1999;69(6):491-506.

Ramsay DS-see Almond JR

Read R-see Greco PM

Righellis S. Commentary on: Condylar axis position, as determined by the occlusion and measured by the CPI instrument, and signs and symptoms of temporomandibular dysfunction. 1999; 69(2): 116.

Rinchuse DJ-see Young DV

Rosenstein SW—see Deguchi T

Rossouw PE—see Mui B —see Urabe H

Rubin RM. Guest Editorial: Putting nickel titanium wire in its place. 1999:69(3):214.

Rudman RT-see Braun S

Rueggeberg FA-see Steckel SE

Ruf S, Pancherz H. Class II Division 2 malocclusion: Genetics or environment? A case report of monozygotic twins. 1999;69(4):321-324.

Ruf S, Pancherz H. Dentoskeletal effects and facial profile changes in young adults treated with the Herbst appliance. 1999;69(3):239-246.

—see Betzenberger D —see Hering K

Sandy JR—see Johnson NCL

Sarikaya S-see Haydar B

Sasaki A-see Sugiyama H

Sato Y-see Ishikawa H

Shammaa I, Ngan P, Kim H, Kao E, Gladwin M, Gunel E, Brown C. Comparison of bracket debonding force between two conventional resin adhesives and a resin-reinforced glass ionomer cement: An in vitro and in vivo study. 1999;69(5):463-469.

Shapira Y, Lubit E, Kuftinec MM, Borell G. The distribution of clefts of the primary and secondary palates by sex, type, and location. 1999;69(6):523-528.

Shashua D, Årtun J. Relapse after orthodontic correction of maxillary median diastema: A follow-up evaluation of consecutive cases. 1999;69(3):257-263.

Sheriff M-see Hunt NP

Singh GD, McNamara JA Jr, Lozanoff S. Allometry of the cranial base in prepubertal Korean subjects with Class III malocclusions: Finite element morphometry. 1999;69(6):507-514.

Singh GD, McNamara JA Jr, Lozanoff S. Finite-element morphometry of soft tissue morphology in subjects with untreated Class III malocclusion. 1999;69(3):215-224.

Sjursen RC, Legan HL, Werther JR. Case Report: Assessment, documentation, and treatment of a developing facial asymmetry following early childhood injury. 1999;69(1):89-96. Steckel SE, Rueggeberg FA, Whitford GM. Effect of resin cure mode and fluoride content on bracket debonding. 1999;69(3):282-287.

Sugiyama H, Lee K, Imoto S, Sasaki A, Kawata T, Yamaguchi K, Tanne K. Influences of vertical occlusal discrepancies on condylar responses and craniofacial growth in growing rats. 1999;69(4):356-364.

Tanne K—see Iwami-Morimoto Y
—see Sugiyama H

Taylor MG-see McGorray SP

Thüer U, Grunder J, Ingervall B. Pressure from the lips on the teeth during speech. 1999; 69(2):133-140.

Timms DJ. The dawn of rapid maxillary expansion. 1999;69(3):247-250. —see Trenouth MJ

Titley KC—see Urabe H

Toledano M-see Osorio R

Trammell DW-see Covell DA

Trenouth MJ, Timms DJ. Relationship of the functional oropharynx to craniofacial morphology. 1999;69(5):419-423.

Trosien A-see Quintero JC

Tsuchiya T-see Nagahara K

Tsukada H-see Ishikawa H

Turpin DL. Editorial: A child's need, a parent's wish, an orthodontist's responsibility. 1999;69(4):291.

Editorial: Commentaries bring out the best in reviewers. 1999; 69(2):99

Editorial: Expand your treatment options with new materials...and old possibilities. 1999;69(1):3.

Editorial: Making a difference. 1999;69(5):387.

Editorial: Passing the torch to Robert J. Isaacson. 1999;69(6):483.

Editorial: TMJ disorders complicate treatment planning. 1999;69(3):195.

Urabe H, Rossouw PE, Titley KC, Yamin C. Combinations of etchants, composite resins, and bracket systems: An important choice in orthodontic bonding procedures. 1999;69(3):267-275.

Vanarsdall RL—see Greco PM

Warren DW-see Crouse U

Welbury RR—see Millett DT

Werther JR-see Sjursen RC

West R-see Covell DA

Wheeler TT—see McGorray SP Whitford GM—see Steckel SE

Whitley JQ-see Kusy RP

Williams B-see Mouradian WE

Wilson JR, Little RM, Joondeph DR, Doppel DM. Comparison of soft tissue profile changes in serial extraction and late premolar extraction. 1999; 69(2):165-174.

Wood CL—see Crouse U Woods MG—see Lenz GI

Yamaguchi K—see Iwami-Morimoto Y —see Sugiyama H

Yamaguchi N—see Yoshida I Yamin C—see Urabe H

Yoshida I, Ishii H, Yamaguchi N, Mizoguchi I. Maxillary protraction and chincap appliance treatment effects and long-term changes in skeletal Class III patients. 1999;69(6):543-552.

Young DV, Rinchuse DJ, Pierce CJ, Zullo T. Craniofacial morphology of bruxers vs. nonbruxers. 1999;69(1):14-18.

Yurkiewicz L—see McGorray SP Zadoo VP—see Haffner CL Zullo T—see Young DV

Key Word Index

Acid concentrations

Urabe H, Rossouw PE, Titley KC, Yamin C. Combinations of etchants, composite resins, and bracket systems: An important choice in orthodontic bonding procedures. 1999;69(3):267-275.

Alveolar bone

Gu G, Lemery SA, King GJ. Effect of appliance reactivation after decay of initial activation on osteoclasts, tooth movement, and root resorption. 1999;69(6):515-522.

Anterior crossbite

Deguchi T, Kanomi R, Ashizawa Y, Rosenstein SW. Very early face mask therapy in Class III children. 1999;69(4):349-355.

Anterior deprogramming appliance Karl PJ, Foley TF. The use of a deprogramming appliance to obtain centric relation records. 1999; 69(2):117-125.

Anterior mandibular repositioning Joondeph DR. Case Report: Longterm stability of mandibular orthopedic repositioning. 1999;69(3):201-209.

Anterior positioning appliances Joondeph DR. Case Report: Longterm stability of mandibular orthopedic repositioning. 1999;69(3):201-209.

Anterior temporal muscle Greco PM, Vanarsdall RL, Levrini M, Read R. An evaluation of anterior temporal and masseter muscle activity in appliance therapy. 1999; 69(2):141-146.

Arachidonic acid

Iwami-Morimoto Y, Yamaguchi K, Tanne K. Influence of dietary n-3 polyunsaturated fatty acid on experimental tooth movement in rats. 1999;69(4):365-371.

Archwires

Kusy RP, Whitley JQ. Assessment of second-order clearances between orthodontic archwires and bracket slots via the critical contact angle for binding. 1999;69(1):71-80.

Articulator

Karl PJ, Foley TF. The use of a deprogramming appliance to obtain centric relation records. 1999; 69(2):117-125.

Assent

Mouradian WE. Making decisions for children. 1999;69(4):300-305.

Asymmetry

Sjursen RC, Legan HL, Werther JR. Case Report: Assessment, documentation, and treatment of a developing facial asymmetry following early childhood injury. 1999;69(1):89-96.

Ball mill

Millett DT, Cattanach D, McFadzean R, Pattison J, McColl J. Laboratory evaluation of a compomer and a resin-modified glass ionomer cement for orthodontic bonding. 1999;69(1):58-64.

Beauty

Hier LA, Evans CA, BeGole EA, Giddon DB. Comparison of preferences in lip position using computer animated imaging. 1999;69(3):231-238.

Best interests standard Mouradian WE, Omnell ML, Williams B. Ethics for orthodontists. 1999;69(4):295-299.

Bite registration

Karl PJ, Foley TF. The use of a deprogramming appliance to obtain centric relation records. 1999;69(2):117-125.

Bond strength

Osorio R, Toledano M, Garcia-Godoy F. Bracket bonding with 15-or 60-second etching and adhesive remaining on enamel after debonding. 1999;69(1):45-48.

Shammaa I, Ngan P, Kim H, Kao E, Gladwin M, Gunel E, Brown C. Comparison of bracket debonding force between two conventional resin adhesives and a resin-reinforced glass ionomer cement: An in vitro and in vivo study. 1999;69(5):463-469.

Bonded RME appliance Memikoglu TUT, Iseri H. Effects of a bonded rapid maxillary expansion appliance during orthodontic treatment. 1999;69(3):251-256.

Bone modeling

Melsen B. Biological reaction of alveolar bone to orthodontic tooth movement. 1999;69(2):151-158.

Bone remodeling

Melsen B. Biological reaction of alveolar bone to orthodontic tooth movement. 1999;69(2):151-158.

Bone resorption

Iwami-Morimoto Y, Yamaguchi K, Tanne K. Influence of dietary n-3 polyunsaturated fatty acid on experimental tooth movement in rats. 1999;69(4):365-371.

Brackets

Kusy RP, Whitley JQ. Assessment of second-order clearances between orthodontic archwires and bracket slots via the critical contact angle for binding. 1999;69(1):71-80.

Osorio R, Toledano M, Garcia-Godoy F. Bracket bonding with 15or 60-second etching and adhesive remaining on enamel after debonding. 1999;69(1):45-48.

Bruxism

Almond JR, Leroux BG, Knight DJ, Ramsay DS. Craniofacial morphology and tooth wear: A longitudinal study of orthodontic patients. 1999;69(1):7-13.

Young DV, Rinchuse DJ, Pierce CJ, Zullo T. Craniofacial morphology of bruxers vs. nonbruxers. 1999;69(1):14-18.

C-axis

Braun S, Rudman RT, Murdoch HJ, Hicken S, Kittleson R, Ferguson DJ. C-axis: A growth cector for the maxilla. 1999;69(6): 539-542

Center of resistance

Braun S, Lee K-G, Legan HL. A reexamination of various extraoral appliances in light of recent research findings. 1999;69(1):81-84.

Centric relation

Crawford SD. Condylar axis position, as determined by the occlusion and measured by the CPI instrument, and signs and symptoms of temporomandibular dysfunction. 1999;69(2):103-116. Karl PJ, Foley TF. The use of a deprogramming appliance to obtain centric relation records. 1999; 69(2):117-125.

Cephalometrics

Almond JR, Leroux BG, Knight DJ, Ramsay DS. Craniofacial morphology and tooth wear: A longitudinal study of orthodontic patients. 1999;69(1):7-13.

Covell DA, Trammell DW, Boero RP, West R. A cephalometric study of Class II Division 1 malocclusions treated with the Jasper Jumper appliance. 1999;69(4):311-320.

Efstratiadis SS, Cohen G, Ghafari J. Evaluation of differential growth and orthodontic treatment outcome by regional cephalometric superpositions. 1999;69(3):225-230.

Haffner CL, Pessa JE, Zadoo VP, Garza JR. A technique for three-dimensional cephalometric analysis as an aid in evaluating changes in the craniofacial skeleton. 1999;69(4):345-348. Hier LA, Evans CA, BeGole EA, Giddon DB. Comparison of proferences in lin position using

preferences in lip position using computer animated imaging. 1999;69(3):231-238. Karlsen AT, Krogstad O. Morphol-

Karlsen AT, Krogstad O. Morphology and growth in convex profile facial patterns: A longitudinal study. 1999;69(4):334-344.

Pae E-K, Ferguson KA. Cephalometric characteristics of nonobese patients with severe OSA. 1999;69(5):408-412.

Quintero JC, Trosien A, Hatcher D, Kapila S. Craniofacial imaging in orthodontics: Historical perspective, current status, and future developments. 1999;69(6):491-506. Singh GD, McNamara JA Jr, Lozanoff S. Allometry of the cranial base in prepubertal Korean subjects with Class III malocclusions: Finite element morphometry. 1999;69(6):507-514.

Ceramic and metal brackets
Haydar B, Sarikaya S, Çehreli ZC.
Comparison of shear bond
strength of three bonding agents
with metal and ceramic brackets.
1999;69(5):457-462.

Children

Mouradian WE, Omnell ML, Williams B. Ethics for orthodontists. 1999;69(4):295-299.

Mouradian WE. Making decisions for children. 1999;69(4):300-305. Thüer U, Grunder J, Ingervall B. Pressure from the lips on the teeth during speech. 1999;69(2):133-140.

Chincar

Yoshida I, Ishii H, Yamaguchi N, Mizoguchi I. Maxillary protraction and chincap appliance treatment effects and long-term changes in skeletal Class III patients. 1999;69(6):543-552.

Class II

Covell DA, Trammell DW, Boero RP, West R. A cephalometric study of Class II Division 1 malocclusions treated with the Jasper Jumper appliance. 1999;69(4):311-320

Feldmann I, Lundström F, Peck S. Occlusal changes from adolescence to adulthood in untreated patients with Class II Division 1 deepbite malocclusion. 1999;69(1):33-38.

Ruf S, Pancherz H. Dentoskeletal effects and facial profile changes in young adults treated with the Herbst appliance. 1999;69(3):239-246.

Class II Division 2

Kim T-W, Little RM. Postretention assessment of deep overbite correction in Class II Division 2 malocclusion. 1999; 69(2):175-186. Ruf S, Pancherz H. Class II Division 2 malocclusion: Genetics or environment? A case report of monozygotic twins. 1999;69(4):321-324.

Class III

Singh GD, McNamara JA Jr, Lozanoff S. Allometry of the cranial base in prepubertal Korean subjects with Class III malocclusions: Finite element morphometry. 1999;69(6):507-514. Singh GD, McNamara JA Jr, Lozanoff S. Finite-element morphometry of soft tissue morphology in subjects with untreated Class III malocclusion.

Clearances

Kusy RP, Whitley JQ. Assessment of second-order clearances between orthodontic archwires and bracket slots via the critical contact angle for binding. 1999;69(1):71-80.

Cleft lip

Shapira Y, Lubit E, Kuftinec MM, Borell G. The distribution of clefts of the primary and secondary palates by sex, type, and location. 1999;69(6):523-528.

Cleft lip and palate Mouradian WE, Omne

1999;69(3):215-224.

Mouradian WE, Omnell ML, Williams B. Ethics for orthodontists. 1999;69(4):295-299.

Cleft palate frequency

Shapira Y, Lubit E, Kuftinec MM, Borell G. The distribution of clefts of the primary and secondary palates by sex, type, and location. 1999;69(6): 523-528.

Clenching

Nagahara K, Murata S, Nakamura S, Tsuchiya T. Displacement and stress distribution in the temporomandibular joint during clenching, 1999;69(4):372-379.

Commentary

Campbell PM. Commentary on: Effect of resin cure mode and fluoride content on bracket debonding. 1999;69(3):287.

Isaacson RJ. Commentary on Comparison of soft tissue profile changes in serial extraction and late premolar extraction. 1999; 69(2):174.

Ishikawa H. Commentary on: Laboratory evaluation of a compomer and a resin-modified glass ionomer cement for orthodontic bonding. 1999;69(1):58-64. King GJ. Commentary on Continuous vs. discontinuous force application and root resorption.

1999:69(2):164.

McLaughlin RP. Commentary on The use of a deprogramming appliance to obtain centric relation records. 1999;69(2):125.

Righellis S. Commentary on: Condylar axis position, as determined by the occlusion and measured by the CPI instrument, and signs and symptoms of temporomandibular dysfunction. 1999;69(2):116.

Turpin DL. Editorial: Commentaries bring out the best in reviewers. 1999;69(2):99

Compensation

Hering K, Ruf S, Pancherz H. Orthodontic treatment of openbite and deepbite high-angle malocclusions. 1999;69(5):470-477.

Compensation

Betzenberger D, Ruf S, Pancherz H. The compensatory mechanism in high-angle malocclusions: A comparison of subjects in the mixed and permanent dentition. 1999;69(1):27-32.

Competency of minors Mouradian WE. Making decisions for children. 1999;69(4):300-305.

Compomer

Millett DT, Cattanach D, McFadzean R, Pattison J, McColl J. Laboratory evaluation of a compomer and a resin-modified glass ionomer cement for orthodontic bonding. 1999;69(1):58-64.

Composite

McKamey RP, Kusy RP. Stressrelaxing composite ligature wires: Formulations and characteristics. 1999;69(5):441-449. Composite resins

Shammaa I, Ngan P, Kim H, Kao E, Gladwin M, Gunel E, Brown C. Comparison of bracket debonding force between two conventional resin adhesives and a resinreinforced glass ionomer cement: An in vitro and in vivo study. 1999;69(5):463-469.

Computer imaging
Hier LA, Evans CA, BeGole EA,
Giddon DB. Comparison of
preferences in lip position using
computer animated imaging.
1999;69(3):231-238.

Condylar cartilage

Sugiyama H, Lee K, Imoto S, Sasaki A, Kawata T, Yamaguchi K, Tanne K. Influences of vertical occlusal discrepancies on condylar responses and craniofacial growth in growing rats. 1999;69(4):356-364.

Condylar displacement

Crawford SD. Condylar axis position, as determined by the occlusion and measured by the CPI instrument, and signs and symptoms of temporomandibular dysfunction. 1999;69(2):103-116. Karl PJ, Foley TF. The use of a deprogramming appliance to obtain centric relation records. 1999;69(2):117-125.

Contact angles

Kusy RP, Whitley JQ. Assessment of second-order clearances between orthodontic archwires and bracket slots via the critical contact angle for binding. 1999;69(1):71-80.

Contamination

Itoh T, Matsuo N, Fukushima T, Inoue Y, Oniki Y, Matsumoto M, Caputo AA. Effect of contamination and etching on enamel bond strength of new light-cured glass ionomer cements. 1999;69(5):450-456.

Continuous force

Acar A, Canyürek U, Kocaaga M, Erverdi N. Continuous vs. discontinuous force application and root resorption. 1999; 69(2):159-164

Convex profile

Karlsen AT, Krogstad O. Morphology and growth in convex profile facial patterns: A longitudinal study. 1999;69(4):334-344.

Corrosion

Hunt NP, Cunningham SJ, Golden CG, Sheriff M. An investigation into the effects of polishing on surface hardness and corrosion of orthodontic archwires. 1999;69(5):433-440.

Kim H, Johnson JW. Corrosion of stainless steel, nickel-titanium, coated nickel-titanium, and titanium orthodontic wires. 1999;69(1):39-44.

CPI

Crawford SD. Condylar axis position, as determined by the occlusion and measured by the CPI instrument, and signs and symptoms of temporomandibular dysfunction. 1999;69(2):103-116.

Cranial base

Singh GD, McNamara JA Jr, Lozanoff S. Allometry of the cranial base in prepubertal Korean subjects with Class III malocclusions: Finite element morphometry. 1999;69(6):507-514.

Craniofacial

Singh GD, McNamara JA Jr, Lozanoff S. Allometry of the cranial base in prepubertal Korean subjects with Class III malocclusions: Finite element morphometry. 1999;69(6):507-514.

Craniofacial growth
Sugiyama H, Lee K, Imoto S,
Sasaki A, Kawata T, Yamaguchi K,
Tanne K. Influences of vertical
occlusal discrepancies on condylar
responses and craniofacial growth
in growing rats. 1999;69(4):356364.

Craniofacial imaging
Quintero JC, Trosien A, Hatcher
D, Kapila S. Craniofacial imaging
in orthodontics: Historical perspective, current status, and future
developments. 1999;69(6):491-506.

Craniofacial morphology
Trenouth MJ, Timms DJ. Relationship of the functional oropharynx to craniofacial morphology.
1999;69(5):419-423.

Young DV, Rinchuse DJ, Pierce CJ, Zullo T. Craniofacial morphology of bruxers vs. nonbruxers. 1999;69(1):14-18.

Craniofacial skeleton

Haffner CL, Pessa JE, Zadoo VP, Garza JR. A technique for three-dimensional cephalometric analysis as an aid in evaluating changes in the craniofacial skeleton. 1999;69(4):345-348.

Craniofacial team Mouradian WE, Omnell ML, Williams B. Ethics for orthodontists. 1999;69(4):295-299.

Debonding
Osorio R, Toledano M, Garcia-Godoy F. Bracket bonding with 15-or 60-second etching and adhesive remaining on enamel after debonding. 1999;69(1):45-48.

Decalcification
Millett DT, Nunn JH, Welbury RR,
Gordon PH. Decalcification in
relation to brackets bonded with
glass ionomer cement or a resin
adhesive. 1999;69(1):65-70.

Decision making Mouradian WE, Omnell ML, Williams B. Ethics for orthodontists. 1999;69(4):295-299.

Decision making for minors Mouradian WE. Making decisions for children. 1999;69(4):300-305.

Deep overbite Kim T-W, Little RM. Postretention assessment of deep overbite correction in Class II Division 2 malocclusion. 1999;69(2):175-186.

Dental anomalies
Burnett SE. Brief communication:
Prevalence of maxillary caninefirst premolar transposition in a
composite African sample. 1999;
69(2):187-188.

Dental attrition Almond JR, Leroux BG, Knight DJ, Ramsay DS. Craniofacial morphology and tooth wear: A longitudinal study of orthodontic patients. 1999;69(1):7-13.

Dental compensation
Ishikawa H, Nakamura S, Iwasaki H, Kitazawa S, Tsukada H, Sato Y.
Dentoalveolar compensation related to variations in sagittal jaw relationships. 1999;69(6):534-538.

Dental spacing Shashua D, Årtun J. Relapse after orthodontic correction of maxillary median diastema: A followup evaluation of consecutive cases. 1999;69(3):257-263.

Dentoalveolar
Betzenberger D, Ruf S, Pancherz
H. The compensatory mechanism
in high-angle malocclusions: A
comparison of subjects in the
mixed and permanent dentition.
1999;69(1):27-32.

Covell DA, Trammell DW, Boero RP, West R. A cephalometric study of Class II Division 1 malocclusions treated with the Jasper Jumper appliance. 1999;69(4):311-320.

Hering K, Ruf S, Pancherz H. Orthodontic treatment of openbite and deepbite high-angle malocclusions. 1999;69(5):470-477.

Dentofacial development Crouse U, Laine-Alava MT, Warren DW, Wood CL. A longitudinal study of nasal airway size from age 9 to age 13. 1999;69(5):413-418.

Laine-Alava MT, Minkkinen UK. Should a history of nasal symptoms be considered when estimating nasal patency? 1999;69(2):126-132.

Dentofacial orthopedics Ruf S, Pancherz H. Dentoskeletal effects and facial profile changes in young adults treated with the Herbst appliance. 1999;69(3):239-246.

Dentoskeletal treatment effects Ruf S, Pancherz H. Dentoskeletal effects and facial profile changes in young adults treated with the Herbst appliance. 1999;69(3):239-246.

Deprogramming splint Grubb J. Case Report: Treatment for a patient with a history of TMJ disorder. 1999;69(3):210-213.

Diastema
Shashua D, Årtun J. Relapse after orthodontic correction of maxillary median diastema: A follow-up evaluation of consecutive cases. 1999;69(3):257-263.

Digital imaging
Quintero JC, Trosien A, Hatcher
D, Kapila S. Craniofacial imaging
in orthodontics: Historical perspective, current status, and future
developments. 1999;69(6):491-506.

Discontinuous force
Acar A, Canyürek U, Kocaaga M,
Erverdi N. Continuous vs.
discontinuous force application
and root resorption. 1999;
69(2):159-164

Distal jaw-base relationship Karlsen AT, Krogstad O. Morphology and growth in convex profile facial patterns: A longitudinal study. 1999;69(4):334-344. Down syndrome
Desai SS, Flanagan TJ. Case
Report: Orthodontic considerations in individuals with Down
syndrome: A case report.
1999;69(1):85-88.

Early treatment
Deguchi T, Kanomi R, Ashizawa
Y, Rosenstein SW. Very early face
mask therapy in Class III children.
1999;69(4):349-355.

Editorial

Rubin RM. Guest Editorial: Putting nickel titanium wire in its place. 1999;69(3):214. Turpin DL. Editorial: A child's need, a parent's wish, an orthodontist's responsibility. 1999;69(4):291.

Turpin DL. Editorial: Commentaries bring out the best in reviewers. 1999;69(2):99

Turpin DL. Editorial: Expand your treatment options with new materials...and old possibilities. 1999;69(1):3.

Turpin DL. Editorial: Making a difference. 1999;69(5):387.
Turpin DL.Editorial: Passing the torch to Robert J. Isaacson. 1999;69(6):483.

Turpin DL. Editorial: TMJ disorders complicate treatment planning. 1999;69(3):195.

Eigenshape
Pae E-K, Lowe AA. Tongue shape
in obstructive sleep apnea patients. 1999;69(2):147-150.

Elective procedures Mouradian WE. Making decisions for children. 1999;69(4):300-305.

Enamel etching
Osorio R, Toledano M, GarciaGodoy F. Bracket bonding with 15or 60-second etching and adhesive
remaining on enamel after
debonding. 1999;69(1):45-48.

thics
Mouradian WE, Omnell ML,
Williams B. Ethics for orthodontists. 1999;69(4):295-299.
Mouradian WE. Making decisions
for children. 1999;69(4):300-305.
Turpin DL. Editorial: A child's
need, a parent's wish, an
orthodontist's responsibility.
1999;69(4):291.

Etiology

Ruf S, Pancherz H. Class II Division 2 malocclusion: Genetics or environment? A case report of monozygotic twins. 1999;69(4):321-324.

Experimental tooth movement Iwami-Morimoto Y, Yamaguchi K, Tanne K. Influence of dietary n-3 polyunsaturated fatty acid on experimental tooth movement in rats. 1999;69(4):365-371.

Extraoral appliances Braun S, Lee K-G, Legan HL. A reexamination of various extraoral appliances in light of recent research findings. 1999;69(1):81-84.

Face mask therapy
Deguchi T, Kanomi R, Ashizawa
Y, Rosenstein SW. Very early face
mask therapy in Class III children.
1999;69(4):349-355.

Facial growth
Efstratiadis SS, Cohen G, Ghafari
J. Evaluation of differential growth
and orthodontic treatment
outcome by regional cephalometric superpositions. 1999;69(3):225230.

Facial profile
Hier LA, Evans CA, BeGole EA,
Giddon DB. Comparison of
preferences in lip position using
computer animated imaging.
1999;69(3):231-238.

Ruf S, Pancherz H. Dentoskeletal effects and facial profile changes in young adults treated with the Herbst appliance. 1999;69(3):239-246.

Females

Karlsen AT, Krogstad O. Morphology and growth in convex profile facial patterns: A longitudinal study. 1999;69(4):334-344.

Finite element

Nagahara K, Murata S, Nakamura S, Tsuchiya T. Displacement and stress distribution in the temporomandibular joint during clenching. 1999;69(4):372-379.

Singh GD, McNamara JA Jr, Lozanoff S. Allometry of the cranial base in prepubertal Korean subjects with Class III malocclusions: Finite element morphometry. 1999;69(6):507-514.

Singh GD, McNamara JA Jr, Lozanoff S. Finite-element morphometry of soft tissue morphology in subjects with untreated Class III malocclusion. 1999;69(3):215-224. First order correction

Menghi C, Planert J, Melsen B. 3-D experimental identification of force systems from orthodontic loops activated for first order corrections. 1999;69(1):49-57.

First premolar extraction
Wilson JR, Little RM, Joondeph
DR, Doppel DM. Comparison of
soft tissue profile changes in serial
extraction and late premolar
extraction. 1999;69(2):165-174.

Fluoride

Steckel SE, Rueggeberg FA, Whitford GM. Effect of resin cure mode and fluoride content on bracket debonding. 1999;69(3):282-287.

Force system

Menghi C, Planert J, Melsen B. 3-D experimental identification of force systems from orthodontic loops activated for first order corrections. 1999;69(1):49-57.

Functional oropharyngeal airway Trenouth MJ, Timms DJ. Relationship of the functional oropharynx to craniofacial morphology. 1999;69(5):419-423.

Genetics

Ruf S, Pancherz H. Class II Division 2 malocclusion: Genetics or environment? A case report of monozygotic twins. 1999; 69(4):321-324.

Glass ionomer cement Haydar B, Sarikaya S, Çehreli ZC. Comparison of shear bond strength of three bonding agents

1999;69(5):457-462.

Millett DT, Nunn JH, Welbury RR, Gordon PH. Decalcification in relation to brackets bonded with glass ionomer cement or a resin adhesive. 1999;69(1):65-70.

with metal and ceramic brackets.

Shammaa I, Ngan P, Kim H, Kao E, Gladwin M, Gunel E, Brown C. Comparison of bracket debonding force between two conventional resin adhesives and a resin-reinforced glass ionomer cement: An in vitro and in vivo study. 1999;69(5):463-469.

Growth and development Sjursen RC, Legan HL, Werther JR. Case Report: Assessment, documentation, and treatment of a developing facial asymmetry following early childhood injury. 1999;69(1):89-96. Growth stimulation

Ruf S, Pancherz H. Dentoskeletal effects and facial profile changes in young adults treated with the Herbst appliance. 1999;69(3):239-246.

Guest Editorial

Pae E-K. Guest Editorial: Measurements must be interval, not ordinal. 1999;69(5):397. Rubin RM. Guest Editorial: Putting nickel titanium wire in its

place. 1999;69(3):214.

Hawley bite plane
Greco PM, Vanarsdall RL, Levrini
M, Read R. An evaluation of
anterior temporal and masseter
muscle activity in appliance
therapy. 1999;69(2):141-146.

Herbst appliance Ruf S, Pancherz H. Dentoskeletal effects and facial profile changes in young adults treated with the Herbst appliance. 1999;69(3):239-246

High angle malocclusion Betzenberger D, Ruf S, Pancherz H. The compensatory mechanism in high-angle malocclusions: A comparison of subjects in the mixed and permanent dentition. 1999;69(1):27-32.

Hering K, Ruf S, Pancherz H. Orthodontic treatment of openbite and deepbite high-angle malocclusions. 1999;69(5):470-477.

Histomorphometry
Gu G, Lemery SA, King GJ. Effect
of appliance reactivation after
decay of initial activation on
osteoclasts, tooth movement, and
root resorption. 1999;69(6):515-522.
Melsen B. Biological reaction of
alveolar bone to orthodontic tooth
movement. 1999;69(2):151-158.

History of orthodontics Heynick F. Special Report: Orthodontics and the millennial mechanical ideal. 1999;69(6):553-557.

Incisal angulations Lenz GJ, Woods MG. Incisal changes and orthodontic stability. 1999;69(5):424-432.

Incisal positions Lenz GJ, Woods MG. Incisal changes and orthodontic stability. 1999;69(5):424-432. Incisor angulation

Ishikawa H, Nakamura S, Iwasaki H, Kitazawa S, Tsukada H, Sato Y. Dentoalveolar compensation related to variations in sagittal jaw relationships. 1999;69(6):534-538.

Index of orthodontic treatment need Firestone AR, Häsler RU, Ingervall B. Treatment results in dental school orthodontic patients in 1983 and 1993. 1999;69(1):19-26.

Informed consent

Mouradian WE. Making decisions for children. 1999;69(4):300-305.

Initial displacement

De Pauw GAM, Dermaut L, De Bruyn H, Johansson C. Stability of implants as anchorage for orthopedic traction. 1999;69(5):401-407.

Internal derangements
Joondeph DR. Case Report: Longterm stability of mandibular orthopedic repositioning, 1999;69(3):201-209.

Intra-articular derangement Sugiyama H, Lee K, Imoto S, Sasaki A, Kawata T, Yamaguchi K, Tanne K. Influences of vertical occlusal discrepancies on condylar responses and craniofacial growth in growing rats. 1999;69(4):356-364.

IOTN

Firestone AR, Häsler RU, Ingervall B. Treatment results in dental school orthodontic patients in 1983 and 1993. 1999;69(1):19-26.

Jasper Jumper

Covell DA, Trammell DW, Boero RP, West R. A cephalometric study of Class II Division 1 malocclusions treated with the Jasper Jumper appliance. 1999;69(4):311-320.

Korean

Singh GD, McNamara JA Jr, Lozanoff S. Allometry of the cranial base in prepubertal Korean subjects with Class III malocclusions: Finite element morphometry. 1999;69(6):507-514.

Lateral cephalometric radiograph Trenouth MJ, Timms DJ. Relationship of the functional oropharynx to craniofacial morphology. 1999;69(5):419-423.

Ligature

McKamey RP, Kusy RP. Stressrelaxing composite ligature wires: Formulations and characteristics. 1999;69(5):441-449. Light-cured glass ionomer cements Itoh T, Matsuo N, Fukushima T, Inoue Y, Oniki Y, Matsumoto M, Caputo AA. Effect of contamination and etching on enamel bond strength of new light-cured glass ionomer cements. 1999;69(5):450-456

Light-cured

Mui B, Rossouw PE, Kulkarni GV. Optimization of a procedure for rebonding dislodged orthodontic brackets. 1999;69(3):276-281.

Lip pressure

Thüer U, Grunder J, Ingervall B. Pressure from the lips on the teeth during speech. 1999;69(2):133-140.

Longitudinal

Crouse U, Laine-Alava MT, Warren DW, Wood CL. A longitudinal study of nasal airway size from age 9 to age 13. 1999; 69(5):413-418.

Feldmann I, Lundström F, Peck S. Occlusal changes from adolescence to adulthood in untreated patients with Class II Division 1 deepbite malocclusion. 1999; 69(1):33-38.

Karlsen AT, Krogstad O. Morphology and growth in convex profile facial patterns: A longitudinal study. 1999;69(4):334-344.

Legovic M, Mady L. Longitudinal occlusal changes from primary to permanent dentition in children with normal primary occlusion. 1999;69(3):264-266.

Long-term effects

Yoshida I, Ishii H, Yamaguchi N, Mizoguchi I. Maxillary protraction and chincap appliance treatment effects and long-term changes in skeletal Class III patients. 1999; 69(6): 543-552.

Long-term stability

Kim T-W, Little RM. Postretention assessment of deep overbite correction in Class II Division 2 malocclusion. 1999; 69(2):175-186.

Loops

Menghi C, Planert J, Melsen B. 3-D experimental identification of force systems from orthodontic loops activated for first order corrections. 1999;69(1):49-57.

Lower facial height

Pae E-K, Ferguson KA. Cephalometric characteristics of nonobese patients with severe OSA. 1999;69(5):408-412.

Macrodontia

Canut JA, Arias S. Molarization of the lower second premolars. 1999;69(4):380-381.

Malocclusion

Feldmann I, Lundström F, Peck S. Occlusal changes from adolescence to adulthood in untreated patients with Class II Division 1 deepbite malocclusion. 1999; 69(1):33-38.

Johnson NCL, Sandy JR. Tooth position and speech—is there a relationship? 1999;69(4):306-310. McGorray SP, Wheeler TT, Keeling SD, Yurkiewicz L, Taylor MG, King GJ. Evaluation of orthodontists' perception of treatment need and the peer assessment rating (PAR) index. 1999;69(4):325-333.

Mandibular growth
Sjursen RC, Legan HL, Werther JR.
Case Report: Assessment, documentation, and treatment of a developing facial asymmetry following early childhood injury. 1999;69(1):89-96.

Masseter

Greco PM, Vanarsdall RL, Levrini M, Read R. An evaluation of anterior temporal and masseter muscle activity in appliance therapy. 1999;69(2):141-146.

Maxillary expansion
Memikoglu TUT, Iseri H. Effects
of a bonded rapid maxillary
expansion appliance during
orthodontic treatment.
1999;69(3):251-256.

Maxillary growth increment Braun S, Rudman RT, Murdoch HJ, Hicken S, Kittleson R, Ferguson DJ. C-axis: A growth vector for the maxilla. 1999;69(6): 539-542.

Maxillary growth vector Braun S, Rudman RT, Murdoch HJ, Hicken S, Kittleson R, Ferguson DJ. C-axis: A growth vector for the maxilla. 1999;69(6): 539-542.

Maxillary median diastema Shashua D, Årtun J. Relapse after orthodontic correction of maxillary median diastema: A followup evaluation of consecutive cases. 1999;69(3):257-263.

Maxillary protraction Deguchi T, Kanomi R, Ashizawa Y, Rosenstein SW. Very early face mask therapy in Class III children. 1999;69(4):349-355. Maxillary protraction appliance Yoshida I, Ishii H, Yamaguchi N, Mizoguchi I. Maxillary protraction and chincap appliance treatment effects and long-term changes in skeletal Class III patients. 1999;69(6): 543-552.

Maxillofacial complex
Braun S, Lee K-G, Legan HL. A
reexamination of various extraoral
appliances in light of recent
research findings. 1999;69(1):81-84.

Mechanical properties McKamey RP, Kusy RP. Stressrelaxing composite ligature wires: Formulations and characteristics. 1999;69(5):441-449.

Mixed dentition
Betzenberger D, Ruf S, Pancherz
H. The compensatory mechanism
in high-angle malocclusions: A
comparison of subjects in the
mixed and permanent dentition.
1999;69(1):27-32.

Hering K, Ruf S, Pancherz H. Orthodontic treatment of openbite and deepbite high-angle malocclusions. 1999;69(5):470-477.

Modified DDE index
Millett DT, Nunn JH, Welbury RR,
Gordon PH. Decalcification in
relation to brackets bonded with
glass ionomer cement or a resin
adhesive. 1999;69(1):65-70.

Molarization
Canut JA, Arias S. Molarization of the lower second premolars. 1999;69(4):380-381.

Morphology
Singh GD, McNamara JA Jr,
Lozanoff S. Finite-element morphometry of soft tissue morphology in subjects with untreated
Class III malocclusion.
1999;69(3):215-224.

Morphometry Pae E-K, Lowe AA. Tongue shape in obstructive sleep apnea patients. 1999;69(2):147-150. Singh GD, McNamara JA Jr, Lozanoff S. Allometry of the cranial base in prepubertal Korean subjects with Class III malocclusions: Finite element morphometry. 1999;69(6):507-514. Singh GD, McNamara JA Ir, Lozanoff S. Finite-element morphometry of soft tissue morphology in subjects with untreated Class III malocclusion. 1999;69(3):215-224.

M-point Braun S, Rudman RT, Murdoch HJ, Hicken S, Kittleson R, Ferguson DJ. C-axis: A growth vector for the maxilla. 1999;69(6):539-542.

Muscle splinting
Grubb J. Case Report: Treatment
for a patient with a history of TMJ
disorder. 1999;69(3):210-213.

n-3 polyunsaturated fatty acid Iwami-Morimoto Y, Yamaguchi K, Tanne K. Influence of dietary n-3 polyunsaturated fatty acid on experimental tooth movement in rats. 1999:69(4):365-371.

Nasal cross-sectional area Crouse U, Laine-Alava MT, Warren DW, Wood CL. A longitudinal study of nasal airway size from age 9 to age 13. 1999;69(5):413-418.

Laine-Alava MT, Minkkinen UK. Should a history of nasal symptoms be considered when estimating nasal patency? 1999;69(2):126-132.

Nasal patency Crouse U, Laine-Alava MT, Warren DW, Wood CL. A longitudinal study of nasal airway size from age 9 to age 13. 1999;69(5):413-418. Laine-Alava MT, Minkkinen UK.

Should a history of nasal symptoms be considered when estimating nasal patency? 1999;69(2):126-132.

Nasal resistance Laine-Alava MT, Minkkinen UK. Should a history of nasal symptoms be considered when estimating nasal patency? 1999;69(2):126-132.

Nasal symptoms Laine-Alava MT, Minkkinen UK. Should a history of nasal symptoms be considered when estimating nasal patency? 1999;69(2):126-132.

Needle electromyography
Greco PM, Vanarsdall RL, Levrini
M, Read R. An evaluation of
anterior temporal and masseter
muscle activity in appliance
therapy. 1999; 69(2):141-146.

Nickel titanium wire Rubin RM. Guest Editorial: Putting nickel titanium wire in its place. 1999;69(3):214. Normal occlusion Legovic M, Mady L. Longitudinal occlusal changes from primary to permanent dentition in children with normal primary occlusion. 1999;69(3):264-266.

Occlusal plane Ishikawa H, Nakamura S, Iwasaki H, Kitazawa S, Tsukada H, Sato Y. Dentoalveolar compensation related to variations in sagittal jaw relationships. 1999;69(6):534-538.

Occlusal wear
Almond JR, Leroux BG, Knight DJ,
Ramsay DS. Craniofacial morphology and tooth wear: A longitudinal study of orthodontic patients.
1999;69(1):7-13.

Occlusion
Almond JR, Leroux BG, Knight DJ,
Ramsay DS. Craniofacial morphology and tooth wear: A longitudinal study of orthodontic patients.
1999;69(1):7-13.

Crawford SD. Condylar axis position, as determined by the occlusion and measured by the CPI instrument, and signs and symptoms of temporomandibular dysfunction. 1999;69(2):103-116.

Orthodontic alloys
Hunt NP, Cunningham SJ, Golden CG, Sheriff M. An investigation into the effects of polishing on surface hardness and corrosion of orthodontic archwires.
1999;69(5):433-440.

Orthodontic bonding Urabe H, Rossouw PE, Titley KC, Yamin C. Combinations of etchants, composite resins, and bracket systems: An important choice in orthodontic bonding procedures. 1999;69(3):267-275.

Orthodontic resin Steckel SE, Rueggeberg FA, Whitford GM. Effect of resin cure mode and fluoride content on bracket debonding. 1999;69(3):282-287.

Orthodontic tooth movement Gu G, Lemery SA, King GJ. Effect of appliance reactivation after decay of initial activation on osteoclasts, tooth movement, and root resorption. 1999;69(6):515-522. Melsen B. Biological reaction of alveolar bone to orthodontic tooth movement. 1999;69(2):151-158. Orthodontic treatment results
Firestone AR, Häsler RU, Ingervall
B. Treatment results in dental
school orthodontic patients in 1983
and 1993. 1999;69(1):19-26.

Orthodontic wires
Kim H, Johnson JW. Corrosion of
stainless steel, nickel-titanium,
coated nickel-titanium, and
titanium orthodontic wires.
1999;69(1):39-44.

Orthodontics
Efstratiadis SS, Cohen G, Ghafari
J. Evaluation of differential growth
and orthodontic treatment
outcome by regional cephalometric superpositions. 1999;69(3):225230.

Hering K, Ruf S, Pancherz H. Orthodontic treatment of openbite and deepbite high-angle malocclusions. 1999;69(5):470-477.Mouradian WE, Omnell ML, Williams B. Ethics for orthodontists. 1999;69(4):295-299.

Hier LA, Evans CA, BeGole EA, Giddon DB. Comparison of preferences in lip position using computer animated imaging. 1999;69(3):231-238.

Mouradian WE. Making decisions for children. 1999;69(4):300-305. Ruf S, Pancherz H. Dentoskeletal effects and facial profile changes in young adults treated with the Herbst appliance. 1999;69(3):239-246.

Orthognathic surgery
Sjursen RC, Legan HL, Werther JR.
Case Report: Assessment, documentation, and treatment of a developing facial asymmetry following early childhood injury.
1999;69(1):89-96.

Orthopedic appliance Yoshida I, Ishii H, Yamaguchi N, Mizoguchi I. Maxillary protraction and chincap appliance treatment effects and long-term changes in skeletal Class III patients. 1999;69(6):543-552.

Orthopedic force
De Pauw GAM, Dermaut L, De
Bruyn H, Johansson C. Stability of
implants as anchorage for orthopedic traction. 1999;69(5):401-407.

Orthopedics
Melsen B. Biological reaction of alveolar bone to orthodontic tooth movement. 1999;69(2):151-158.

OSA

Pae E-K, Ferguson KA. Cephalometric characteristics of nonobese patients with severe OSA. 1999;69(5):408-412.

Pae E-K, Lowe AA. Tongue shape in obstructive sleep apnea patients. 1999; 69(2):147-150.

Osteoclasts

Gu G, Lemery SA, King GJ. Effect of appliance reactivation after decay of initial activation on osteoclasts, tooth movement, and root resorption. 1999;69(6):515-522.

Overbite

Pae E-K, Ferguson KA. Cephalometric characteristics of nonobese patients with severe OSA. 1999;69(5):408-412.

Feldmann I, Lundström F, Peck S. Occlusal changes from adolescence to adulthood in untreated patients with Class II Division 1 deepbite malocclusion. 1999;69(1):33-38.

PAR

Firestone AR, Häsler RU, Ingervall B. Treatment results in dental school orthodontic patients in 1983 and 1993. 1999;69(1):19-26.
Lenz GJ, Woods MG. Incisal changes and orthodontic stability.

Parental permission Mouradian WE. Making decisions for children. 1999;69(4):300-305.

1999;69(5):424-432.

Patient autonomy Mouradian WE, Omnell ML, Williams B. Ethics for orthodontists. 1999;69(4):295-299.

Peer assessment rating index
Firestone AR, Häsler RU, Ingervall
B. Treatment results in dental
school orthodontic patients in 1983
and 1993. 1999;69(1):19-26.
McGorray SP, Wheeler TT, Keeling
SD, Yurkiewicz L, Taylor MG,
King GJ. Evaluation of orthodontists' perception of treatment need
and the peer assessment rating
(PAR) index. 1999;69(4):325-333.

Permanent dentition
Betzenberger D, Ruf S, Pancherz
H. The compensatory mechanism
in high-angle malocclusions: A
comparison of subjects in the
mixed and permanent dentition.
1999;69(1):27-32.

Legovic M, Mady L. Longitudinal occlusal changes from primary to permanent dentition in children with normal primary occlusion. 1999;69(3):264-266.

Permanent teeth

Eskeli R, Laine-Alava MT, Hausen H, Pahkala R. Standards for permanent tooth emergence in Finnish children. 1999;69(6):529-533.

Polishing

Hunt NP, Cunningham SJ, Golden CG, Sheriff M. An investigation into the effects of polishing on surface hardness and corrosion of orthodontic archwires. 1999;69(5):433-440.

Polymerization mode Steckel SE, Rueggeberg FA, Whitford GM. Effect of resin cure mode and fluoride content on bracket debonding. 1999;69(3):282-287

Potentiostatic anodic polarization Kim H, Johnson JW. Corrosion of stainless steel, nickel-titanium, coated nickel-titanium, and titanium orthodontic wires. 1999;69(1):39-44.

Prepubertal trauma

Sjursen RC, Legan HL, Werther JR. Case Report: Assessment, documentation, and treatment of a developing facial asymmetry following early childhood injury. 1999;69(1):89-96.

Pressure-flow technique Crouse U, Laine-Alava MT, Warren DW, Wood CL. A longitudinal study of nasal airway size from age 9 to age 13. 1999;69(5):413-418.

Laine-Alava MT, Minkkinen UK. Should a history of nasal symptoms be considered when estimating nasal patency? 1999;69(2):126-132.

Primary dentition

Legovic M, Mady L. Longitudinal occlusal changes from primary to permanent dentition in children with normal primary occlusion. 1999;69(3):264-266.

Primary palate

Shapira Y, Lubit E, Kuftinec MM, Borell G. The distribution of clefts of the primary and secondary palates by sex, type, and location. 1999;69(6):523-528.

Prostaglandins

Iwami-Morimoto Y, Yamaguchi K, Tanne K. Influence of dietary n-3 polyunsaturated fatty acid on experimental tooth movement in rats. 1999;69(4):365-371.

Protraction headgear Braun S, Lee K-G, Legan HL. A reexamination of various extraoral appliances in light of recent research findings. 1999;69(1):81-84.

Rapid maxillary expansion Timms DJ. The dawn of rapid maxillary expansion. 1999;69(3):247-250.

Sugiyama H, Lee K, Imoto S, Sasaki A, Kawata T, Yamaguchi K, Tanne K. Influences of vertical occlusal discrepancies on condylar responses and craniofacial growth in growing rats. 1999;69(4):356-364.

Rebond strength

Mui B, Rossouw PE, Kulkarni GV. Optimization of a procedure for rebonding dislodged orthodontic brackets. 1999;69(3):276-281.

Reconditioning

Mui B, Rossouw PE, Kulkarni GV. Optimization of a procedure for rebonding dislodged orthodontic brackets. 1999;69(3):276-281.

Relapse

Kim T-W, Little RM. Postretention assessment of deep overbite correction in Class II Division 2 malocclusion. 1999;69(2):175-186. Shashua D, Årtun J. Relapse after orthodontic correction of maxillary median diastema: A followup evaluation of consecutive cases. 1999;69(3):257-263.

Resin adhesive

Millett DT, Nunn JH, Welbury RR, Gordon PH. Decalcification in relation to brackets bonded with glass ionomer cement or a resin adhesive. 1999;69(1):65-70.

Resin-modified glass ionomer Millett DT, Cattanach D, McFadzean R, Pattison J, McColl J. Laboratory evaluation of a compomer and a resin-modified glass ionomer cement for orthodontic bonding. 1999;69(1):58-64.

Root resorption

Acar A, Canyürek U, Kocaaga M, Erverdi N. Continuous vs. discontinuous force application and root resorption. 1999; 69(2):159-164

Gu G, Lemery SA, King GJ. Effect of appliance reactivation after decay of initial activation on osteoclasts, tooth movement, and root resorption. 1999;69(6):515-522. Secondary palate

Shapira Y, Lubit E, Kuftinec MM, Borell G. The distribution of clefts of the primary and secondary palates by sex, type, and location. 1999:69(6):523-528.

Self-cured

Mui B, Rossouw PE, Kulkarni GV. Optimization of a procedure for rebonding dislodged orthodontic brackets. 1999;69(3):276-281.

Sensitivity

McGorray SP, Wheeler TT, Keeling SD, Yurkiewicz L, Taylor MG, King GJ. Evaluation of orthodontists' perception of treatment need and the peer assessment rating (PAR) index. 1999;69(4):325-333.

Serial extraction

Wilson JR, Little RM, Joondeph DR, Doppel DM. Comparison of soft tissue profile changes in serial extraction and late premolar extraction, 1999;69(2):165-174.

Shape anomaly

Canut JA, Arias S. Molarization of the lower second premolars. 1999;69(4):380-381.

Shear bond strength

Haydar B, Sarikaya S, Çehreli ZC. Comparison of shear bond strength of three bonding agents with metal and ceramic brackets. 1999;69(5):457-462.

Shear bond strength

Itoh T, Matsuo N, Fukushima T, Inoue Y, Oniki Y, Matsumoto M, Caputo AA. Effect of contamination and etching on enamel bond strength of new light-cured glass ionomer cements. 1999;69(5):450-

Mui B, Rossouw PE, Kulkarni GV. Optimization of a procedure for rebonding dislodged orthodontic brackets. 1999;69(3):276-281.

Shear debond

Steckel SE, Rueggeberg FA, Whitford GM. Effect of resin cure mode and fluoride content on bracket debonding. 1999;69(3):282-287.

Sidedness

Shapira Y, Lubit E, Kuftinec MM, Borell G. The distribution of clefts of the primary and secondary palates by sex, type, and location. 1999;69(6):523-528.

Skeletal

Hering K, Ruf S, Pancherz H. Orthodontic treatment of openbite and deepbite high-angle malocclusions. 1999;69(5):470-477.

Skeletal Class III

Ishikawa H, Nakamura S, Iwasaki H, Kitazawa S, Tsukada H, Sato Y. Dentoalveolar compensation related to variations in sagittal jaw relationships. 1999;69(6):534-538.

Skeletal Class III malocclusion Deguchi T, Kanomi R, Ashizawa Y, Rosenstein SW. Very early face mask therapy in Class III children. 1999;69(4):349-355.

Yoshida I, Ishii H, Yamaguchi N, Mizoguchi I. Maxillary protraction and chincap appliance treatment effects and long-term changes in skeletal Class III patients. 1999;69(6):543-552.

Skeletal growth

Covell DA, Trammell DW, Boero RP, West R. A cephalometric study of Class II Division 1 malocclusions treated with the Jasper Jumper appliance. 1999;69(4):311-

Skeletal

Betzenberger D, Ruf S, Pancherz H. The compensatory mechanism in high-angle malocclusions: A comparison of subjects in the mixed and permanent dentition. 1999;69(1):27-32.

Sliding mechanics Kusy RP, Whitley JQ. Assessment of second-order clearances between orthodontic archwires and bracket slots via the critical contact angle for binding.

1999;69(1):71-80. Soft tissue profile

Wilson JR, Little RM, Joondeph DR, Doppel DM. Comparison of soft tissue profile changes in serial extraction and late premolar extraction. 1999;69(2):165-174.

Singh GD, McNamara JA Jr, Lozanoff S. Finite-element morphometry of soft tissue morphology in subjects with untreated Class III malocclusion. 1999;69(3):215-224.

Space reopening Shashua D, Artun J. Relapse after orthodontic correction of maxillary median diastema: A followup evaluation of consecutive cases. 1999;69(3):257-263.

Special Article

Heynick F. Special Article: Orthodontics and the millennial mechanical ideal. 1999;69(6):553Specificity

McGorray SP, Wheeler TT, Keeling SD, Yurkiewicz L, Taylor MG, King GJ. Evaluation of orthodontists' perception of treatment need and the peer assessment rating (PAR) index. 1999;69(4):325-333.

Speech

Thüer U, Grunder J, Ingervall B. Pressure from the lips on the teeth during speech. 1999;69(2):133-140.

Speech

Johnson NCL, Sandy JR. Tooth position and speech—is there a relationship? 1999;69(4):306-310.

Stability

Joondeph DR. Case Report: Longterm stability of mandibular orthopedic repositioning. 1999;69(3):201-209.

Lenz GJ, Woods MG. Incisal changes and orthodontic stability. 1999;69(5):424-432.

Stress analysis

Nagahara K, Murata S, Nakamura S, Tsuchiya T. Displacement and stress distribution in the temporomandibular joint during clenching. 1999;69(4):372-379.

Stress relaxation

McKamey RP, Kusy RP. Stressrelaxing composite ligature wires: Formulations and characteristics. 1999;69(5):441-449.

Stress/strain distribution Melsen B. Biological reaction of alveolar bone to orthodontic tooth movement. 1999;69(2):151-158.

Superior repositioning splint Greco PM, Vanarsdall RL, Levrini M, Read R. An evaluation of anterior temporal and masseter muscle activity in appliance therapy. 1999; 69(2):141-146.

Superposition

Efstratiadis SS, Cohen G, Ghafari J. Evaluation of differential growth and orthodontic treatment outcome by regional cephalometric superpositions. 1999;69(3):225-230.

Surrogacy

Mouradian WE, Omnell ML, Williams B. Ethics for orthodontists. 1999;69(4):295-299.

Temporomandibular joint Nagahara K, Murata S, Nakamura S, Tsuchiya T. Displacement and stress distribution in the temporomandibular joint during clenching. 1999;69(4):372-379.

Three-dimensional cephalometrics Haffner CL, Pessa JE, Zadoo VP, Garza JR. A technique for threedimensional cephalometric analysis as an aid in evaluating changes in the craniofacial skeleton. 1999;69(4):345-348.

Three-dimensional imaging Quintero JC, Trosien A, Hatcher D, Kapila S. Craniofacial imaging in orthodontics: Historical perspective, current status, and future developments. 1999;69(6):491-506.

Melsen B. Biological reaction of alveolar bone to orthodontic tooth movement. 1999;69(2):151-158.

Titanium implants

De Pauw GAM, Dermaut L, De Bruyn H, Johansson C. Stability of implants as anchorage for orthopedic traction. 1999;69(5):401-407.

TMD

Crawford SD. Condylar axis position, as determined by the occlusion and measured by the CPI instrument, and signs and symptoms of temporomandibular dysfunction. 1999;69(2):103-116.

Turpin DL. Editorial: TMJ disorders complicate treatment planning. 1999;69(3):195.

TMI adaptation

Ruf S, Pancherz H. Dentoskeletal effects and facial profile changes in young adults treated with the Herbst appliance. 1999;69(3):239-

TMJ diagnostic protocol Grubb J. Case Report: Treatment for a patient with a history of TMJ disorder. 1999;69(3):210-213.

Pae E-K, Lowe AA. Tongue shape in obstructive sleep apnea patients. 1999;69(2):147-150.

Tooth emergence

Eskeli R, Laine-Alava MT, Hausen H, Pahkala R. Standards for permanent tooth emergence in Finnish children. 1999;69(6): 529-

Tooth eruption

Eskeli R, Laine-Alava MT, Hausen H, Pahkala R. Standards for permanent tooth emergence in Finnish children. 1999;69(6):529-

Tooth transposition

Burnett SE. Brief communication: Prevalence of maxillary caninefirst premolar transposition in a composite African sample. 1999; 69(2):187-188.

Transverse dimension

Memikoglu TUT, Iseri H. Effects of a bonded rapid maxillary expansion appliance during orthodontic treatment. 1999;69(3):251-256.

Gu G, Lemery SA, King GJ. Effect of appliance reactivation after decay of initial activation on osteoclasts, tooth movement, and root resorption. 1999;69(6):515-522.

Treatment need

Feldmann I, Lundström F, Peck S. Occlusal changes from adolescence to adulthood in untreated patients with Class II Division 1 deepbite malocclusion. 1999;69(1):33-38.

McGorray SP, Wheeler TT, Keeling SD, Yurkiewicz L, Taylor MG, King GJ. Evaluation of orthodontists' perception of treatment need and the peer assessment rating (PAR) index. 1999;69(4):325-333.

Twin studies

Ruf S, Pancherz H. Class II Division 2 malocclusion: Genetics or environment? A case report of monozygotic twins. 1999; 69(4):321-324.

Upper airway

Pae E-K, Ferguson KA. Cephalometric characteristics of nonobese patients with severe OSA. 1999;69(5):408-412.

Vertical discrepancy

Sugiyama H, Lee K, Imoto S, Sasaki A, Kawata T, Yamaguchi K, Tanne K. Influences of vertical occlusal discrepancies on condylar responses and craniofacial growth in growing rats. 1999;69(4):356-364.

Menghi C, Planert J, Melsen B. 3-D experimental identification of force systems from orthodontic loops activated for first order corrections. 1999;69(1):49-57.

Young adults

Ruf S, Pancherz H. Dentoskeletal effects and facial profile changes in young adults treated with the Herbst appliance. 1999;69(3):239-246.